


Nico Cappelluti

Professor and Astrophysicist at University of Miami



Publications

[My whole ADS publication metrics](#)

First Author Papers

Cappelluti, N., Arendt, R. G., Kashlinsky, A., Hasinger, G., Helgason, K., Urry, M., ... Finoguenov, A. (2017). PROBING LARGE SCALE COHERENCE BETWEEN SPITZER IR AND CHANDRA X-RAY SOURCE-SUBTRACTED COSMIC BACKGROUNDS.

Cappelluti, N., Bulbul, E., Foster, A., Natarajan, P., Urry, M. C., Bautz, M. W., ... Smith, R. K. (2017). Searching for the 3.5 keV Line in the Deep Fields with Chandra: the 10 Ms observations. <http://doi.org/arXiv:1701.07932>

Cappelluti, N., Li, Y., Ricarte, A., Agarwal, B., Allevato, V., Ananna, T. T., ... Urry, C. M. (2017). The Chandra COSMOS Legacy Survey: Energy Spectrum of the Cosmic X-Ray Background and Constraints on Undetected Populations. *Astrophysical Journal*, 837(1). <http://doi.org/10.3847/1538-4357/aa5ea4>

Cappelluti, N., Comastri, A., Fontana, A., Zamorani, G., Amorin, R., Castellano, M., ... Vito, F. (2016). CHANDRA COUNTERPARTS OF CANDELS GOODS-S SOURCES. *The Astrophysical Journal*, 823(2), 95. <http://doi.org/10.3847/0004-637X/823/2/95>

- Cappelluti, N., di-Matteo, T., Schawinski, K., & Fragos, T. (2016). Early BHs: simulations and observations. *IAU Focus Meeting*, 29, 92–100. <http://doi.org/10.1017/S1743921316004579>
- Cappelluti, N., Di-Matteo, T., Schawinski, K., & Fragos, T. (2015). *Early BHs: Simulations and observations. Proceedings of the International Astronomical Union* (Vol. 11). <http://doi.org/10.1017/S1743921316004579>
- Cappelluti, N., Kashlinsky, A., Arendt, R. G., Comastri, A., Fazio, G. G., Finoguenov, A., ... Moseley, S. H. (2013). CROSS-CORRELATING COSMIC INFRARED AND X-RAY BACKGROUND FLUCTUATIONS: EVIDENCE OF SIGNIFICANT BLACK HOLE POPULATIONS AMONG THE CIB SOURCES. *The Astrophysical Journal*, 769(1), 68. <http://doi.org/10.1088/0004-637X/769/1/68>
- Cappelluti, N., Ranalli, P., Roncarelli, M., Arevalo, P., Zamorani, G., Comastri, A., ... Kashlinsky, A. (2012). The nature of the unresolved extragalactic cosmic soft X-ray background. *Monthly Notices of the Royal Astronomical Society*, 427(1), 651–663. <http://doi.org/10.1111/j.1365-2966.2012.21867.x>
- Cappelluti, N., Allevato, V., & Finoguenov, A. (2012). Clustering of X-Ray-Selected AGN. *Advances in Astronomy*, 2012, 1–19. <http://doi.org/10.1155/2012/853701>
- Cappelluti, N., Ajello, M., Burlon, D., Krumpe, M., Miyaji, T., Bonoli, S., & Greiner, J. (2010). ACTIVE GALACTIC NUCLEI CLUSTERING IN THE LOCAL UNIVERSE: AN UNBIASED PICTURE FROM SWIFT -BAT. *The Astrophysical Journal*, 716(2), L209–L213. <http://doi.org/10.1088/2041-8205/716/2/L209>
- Cappelluti, N., Ajello, M., Rebusco, P., Komossa, S., Bongiorno, A., Clemens, C., ... Quintana, H. (2009). A candidate tidal disruption event in the Galaxy cluster Abell 3571. *Astronomy and Astrophysics*, 495(2), L9–L12. <http://doi.org/10.1051/0004-6361/200811479>
- Cappelluti, N., Brusa, M., Hasinger, G., Comastri, A., Zamorani, G., Finoguenov, A., ... Urry, C. M. (2009). The XMM-Newton wide-field survey in the COSMOS field. The point-like X-ray source catalogue. *Astronomy and Astrophysics*, 497, 635–648. <http://doi.org/10.1051/0004-6361/200810794>
- Cappelluti, N., Brusa, M., Hasinger, G., Comastri, A., Zamorani, G., Finoguenov, A., ... Urry, C. M. (2009). The XMM-Newton wide-field survey in the COSMOS field. *Astronomy and Astrophysics*, 497(2), 635–648. <http://doi.org/10.1051/0004-6361/200810794>
- Cappelluti, N., Hasinger, G., Brusa, M., Comastri, A., Zamorani, G., Böhringer, H., ... Silverman, J. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field.

II. X-Ray Data and the logN-logS Relations. *The Astrophysical Journal Supplement Series*, 172, 341–352. <http://doi.org/10.1086/516586>

Cappelluti, N., Hasinger, G., Brusa, M., Comastri, A., Zamorani, G., Böhringer, H., ... Silverman, J. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. II. X-Ray Data and the log N -log S Relations. *The Astrophysical Journal Supplement Series*, 172(1), 341–352. <http://doi.org/10.1086/516586>

Cappelluti, N., Böhringer, H., Schuecker, P., Pierpaoli, E., Mullis, C. R., Gioia, I. M., & Henry, J. P. (2007). The soft X-ray cluster-AGN spatial cross-correlation function in the ROSAT -NEP survey. *Astronomy and Astrophysics*, 465(1), 35–40. <http://doi.org/10.1051/0004-6361:20065920>

Cappelluti, N., Cappi, M., Dadina, M., Malaguti, G., Branchesi, M., D'Elia, V., & Palumbo, G. G. C. (2005). X-ray source overdensities in Chandra distant cluster fields: A new probe to map the cosmic tapestry? *Astronomy and Astrophysics*, 430(1), 39–45. <http://doi.org/10.1051/0004-6361:20041534>

15 Most Cited papers

Elvis, M., Civano, F., Vignali, C., Puccetti, S., Fiore, F., Cappelluti, N., ... Volonteri, M. (2009). The Chandra COSMOS Survey. I. Overview and Point Source Catalog. *The Astrophysical Journal Supplement Series*, 184, 158–171. JOUR. <http://doi.org/10.1088/0067-0049/184/1/158>

Hasinger, G., Cappelluti, N., Brunner, H., Brusa, M., Comastri, A., Elvis, M., ... Zamorani, G. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. I. Survey Description. *The Astrophysical Journal Supplement Series*, 172, 29–37. JOUR. <http://doi.org/10.1086/516576>

Cisternas, M., Jahnke, K., Inskip, K. J., Kartaltepe, J., Koekemoer, A. M., Lisker, T., ... Taniguchi, Y. (2011). The Bulk of the Black Hole Growth Since $z \sim 1$ Occurs in a Secular Universe: No Major Merger-AGN Connection. *The Astrophysical Journal*, 726, 57. JOUR. <http://doi.org/10.1088/0004-637X/726/2/57>

Brusa, M., Civano, F., Comastri, A., Miyaji, T., Salvato, M., Zamorani, G., ... Zucca, E. (2010). The XMM-Newton Wide-field Survey in the Cosmos Field (XMM-COSMOS): Demography and Multiwavelength Properties of Obscured and Unobscured Luminous Active Galactic Nuclei. *The Astrophysical Journal*, 716, 348–369. JOUR. <http://doi.org/10.1088/0004-637X/716/1/348>

Salvato, M., Hasinger, G., Ilbert, O., Zamorani, G., Brusa, M., Scoville, N. Z., ... Zamojski, M. (2009). Photometric Redshift and Classification for the XMM-COSMOS

Sources. *The Astrophysical Journal*, 690, 1250–1263. JOUR.
<http://doi.org/10.1088/0004-637X/690/2/1250>

Finoguenov, A., Guzzo, L., Hasinger, G., Scoville, N. Z., Aussel, H., Böhringer, H., ... Zamorani, G. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field: Statistical Properties of Clusters of Galaxies. *The Astrophysical Journal Supplement Series*, 172, 182–195. JOUR. <http://doi.org/10.1086/516577>

Cappelluti, N., Brusa, M., Hasinger, G., Comastri, A., Zamorani, G., Finoguenov, A., ... Urry, C. M. (2009). The XMM-Newton wide-field survey in the COSMOS field. The point-like X-ray source catalogue. *Astronomy and Astrophysics*, 497, 635–648. JOUR.
<http://doi.org/10.1051/0004-6361/200810794>

Leauthaud, A., Finoguenov, A., Kneib, J.-P., Taylor, J. E., Massey, R., Rhodes, J., ... Wolk, M. (2010). A Weak Lensing Study of X-ray Groups in the Cosmo Survey: Form and Evolution of the Mass-Luminosity Relation. *The Astrophysical Journal*, 709, 97–114. JOUR. <http://doi.org/10.1088/0004-637X/709/1/97>

Silverman, J. D., Lamareille, F., Maier, C., Lilly, S. J., Mainieri, V., Brusa, M., ... Salvato, M. (2009). Ongoing and Co-Evolving Star Formation in zCOSMOS Galaxies Hosting Active Galactic Nuclei. *The Astrophysical Journal*, 696, 396–410. JOUR.
<http://doi.org/10.1088/0004-637X/696/1/396>

Fiore, F., Puccetti, S., Brusa, M., Salvato, M., Zamorani, G., Aldcroft, T., ... Yan, L. (2009). Chasing Highly Obscured QSOs in the COSMOS Field. *The Astrophysical Journal*, 693, 447–462. JOUR. <http://doi.org/10.1088/0004-637X/693/1/447>

Gabor, J. M., Impey, C. D., Jahnke, K., Simmons, B. D., Trump, J. R., Koekemoer, A. M., ... Scoville, N. (2009). Active Galactic Nucleus Host Galaxy Morphologies in COSMOS. *The Astrophysical Journal*, 691, 705–722. JOUR.
<http://doi.org/10.1088/0004-637X/691/1/705>

Brusa, M., Zamorani, G., Comastri, A., Hasinger, G., Cappelluti, N., Civano, F., ... Thompson, D. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. III. Optical Identification and Multiwavelength Properties of a Large Sample of X-Ray-Selected Sources. *The Astrophysical Journal Supplement Series*, 172, 353–367. JOUR.
<http://doi.org/10.1086/516575>

Salvato, M., Ilbert, O., Hasinger, G., Rau, A., Civano, F., Zamorani, G., ... Zucca, E. (2011). Dissecting Photometric Redshift for Active Galactic Nucleus Using XMM- and Chandra-COSMOS Samples. *The Astrophysical Journal*, 742, 61. JOUR.
<http://doi.org/10.1088/0004-637X/742/2/61>

Lusso, E., Comastri, A., Vignali, C., Zamorani, G., Brusa, M., Gilli, R., ... Vergani, D. (2010). The X-ray to optical-UV luminosity ratio of X-ray selected type 1 AGN in XMM-COSMOS. *Astronomy and Astrophysics*, 512, A34. JOUR. <http://doi.org/10.1051/0004-6361/200913298>

Civano, F., Elvis, M., Brusa, M., Comastri, A., Salvato, M., Zamorani, G., ... Wright, N. J. (2012). The Chandra COSMOS Survey. III. Optical and Infrared Identification of X-Ray Point Sources. *The Astrophysical Journal Supplement Series*, 201, 30. JOUR. <http://doi.org/10.1088/0067-0049/201/2/30>

Full Bibliography

Ajello, M., Rebusco, P., Cappelluti, N., Reimer, O., Böhringer, H., Greiner, J., ... Moretti, A. (2009). Galaxy Clusters in the Swift/Burst Alert Telescope Era: Hard X-rays in the Intracluster Medium. *The Astrophysical Journal*, 690, 367–388. JOUR. <http://doi.org/10.1088/0004-637X/690/1/367>

Ajello, M., Rebusco, P., Cappelluti, N., Reimer, O., Böhringer, H., La Parola, V., & Cusumano, G. (2010). Galaxy Clusters in the Swift/BAT Era. II. 10 More Clusters Detected Above 15 keV. *The Astrophysical Journal*, 725, 1688–1706. JOUR. <http://doi.org/10.1088/0004-637X/725/2/1688>

Allevato, V., Finoguenov, A., & Cappelluti, N. (2014). Clustering of γ -Ray-selected 2LAC Fermi Blazars. *The Astrophysical Journal*, 797, 96. JOUR. <http://doi.org/10.1088/0004-637X/797/2/96>

Allevato, V., Finoguenov, A., Cappelluti, N., Miyaji, T., Hasinger, G., Salvato, M., ... Comastri, A. (2011). The XMM-Newton Wide Field Survey in the COSMOS Field: Redshift Evolution of AGN Bias and Subdominant Role of Mergers in Triggering Moderate-luminosity AGNs at Redshifts up to 2.2. *The Astrophysical Journal*, 736, 99. JOUR. <http://doi.org/10.1088/0004-637X/736/2/99>

Allevato, V., Finoguenov, A., Civano, F., Cappelluti, N., Shankar, F., Miyaji, T., ... Silverman, J. (2014). Clustering of Moderate Luminosity X-Ray-selected Type 1 and Type 2 AGNs at $Z \sim 3$. *The Astrophysical Journal*, 796, 4. JOUR. <http://doi.org/10.1088/0004-637X/796/1/4>

Allevato, V., Finoguenov, A., Hasinger, G., Miyaji, T., Cappelluti, N., Salvato, M., ... Shankar, F. (2012). Occupation of X-Ray-selected Galaxy Groups by X-Ray Active Galactic Nuclei. *The Astrophysical Journal*, 758, 47. JOUR. <http://doi.org/10.1088/0004-637X/758/1/47>

Bottacini, E., Ajello, M., Greiner, J., Pian, E., Rau, A., Palazzi, E., ... Afonso, P. (2010). PKS 0537-286, carrying the information of the environment of SMBHs in the early

Universe. *Astronomy and Astrophysics*, 509, A69. JOUR. <http://doi.org/10.1051/0004-6361/200913260>

Branchesi, M., Gioia, I. M., Fanti, C., Fanti, R., & Cappelluti, N. (2007). Chandra point-source counts in distant galaxy clusters. *Astronomy and Astrophysics*, 462, 449–458. JOUR. <http://doi.org/10.1051/0004-6361:20066196>

Brunner, H., Cappelluti, N., Hasinger, G., Barcons, X., Fabian, A. C., Mainieri, V., & Szokoly, G. (2008). XMM-Newton observations of the Lockman Hole: X-ray source catalogue and number counts. *Astronomy and Astrophysics*, 479, 283–300. JOUR. <http://doi.org/10.1051/0004-6361:20077687>

Brusa, M., Civano, F., Comastri, A., Miyaji, T., Salvato, M., Zamorani, G., ... Zucca, E. (2010). The XMM-Newton Wide-field Survey in the COSMOS Field (XMM-COSMOS): Demography and Multiwavelength Properties of Obscured and Unobscured Luminous Active Galactic Nuclei. *The Astrophysical Journal*, 716, 348–369. JOUR. <http://doi.org/10.1088/0004-637X/716/1/348>

Brusa, M., Comastri, A., Gilli, R., Hasinger, G., Iwasawa, K., Mainieri, V., ... Lilly, S. (2009). High-Redshift Quasars in the COSMOS Survey: The Space Density of $z > 3$ X-Ray Selected QSOs. *The Astrophysical Journal*, 693, 8–22. JOUR. <http://doi.org/10.1088/0004-637X/693/1/8>

Brusa, M., Zamorani, G., Comastri, A., Hasinger, G., Cappelluti, N., Civano, F., ... Thompson, D. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. III. Optical Identification and Multiwavelength Properties of a Large Sample of X-Ray-Selected Sources. *The Astrophysical Journal Supplement Series*, 172, 353–367. JOUR. <http://doi.org/10.1086/516575>

Capelli, R., Warwick, R. S., Cappelluti, N., Gillessen, S., Predehl, P., Porquet, D., & Czesla, S. (2011). Discovery of X-ray flaring activity in the Arches cluster. *Astronomy and Astrophysics*, 525, L2. JOUR. <http://doi.org/10.1051/0004-6361/201015758>

Cappelluti, N., Ajello, M., Burlon, D., Krumpke, M., Miyaji, T., Bonoli, S., & Greiner, J. (2010). ACTIVE GALACTIC NUCLEI CLUSTERING IN THE LOCAL UNIVERSE: AN UNBIASED PICTURE FROM SWIFT -BAT. *The Astrophysical Journal*, 716(2), L209–L213. article. <http://doi.org/10.1088/2041-8205/716/2/L209>

Cappelluti, N., Ajello, M., Rebusco, P., Komossa, S., Bongiorno, A., Clemens, C., ... Quintana, H. (2009). A candidate tidal disruption event in the Galaxy cluster Abell 3571. *Astronomy and Astrophysics*, 495(2), L9–L12. article. <http://doi.org/10.1051/0004-6361/200811479>

Cappelluti, N., Allevato, V., & Finoguenov, A. (2012). Clustering of X-Ray-Selected AGN. *Advances in Astronomy*, 2012, 1–19. article. <http://doi.org/10.1155/2012/853701>

Cappelluti, N., Allevato, V., & Finoguenov, A. (2012). Clustering of X-Ray-Selected AGN. *Advances in Astronomy*, 2012, 1–19. article. <http://doi.org/10.1155/2012/853701>

Cappelluti, N., Böhringer, H., Schuecker, P., Pierpaoli, E., Mullis, C. R., Gioia, I. M., & Henry, J. P. (2007). The soft X-ray cluster-AGN spatial cross-correlation function in the ROSAT -NEP survey. *Astronomy and Astrophysics*, 465(1), 35–40. article. <http://doi.org/10.1051/0004-6361:20065920>

Cappelluti, N., Brusa, M., Hasinger, G., Comastri, A., Zamorani, G., Finoguenov, A., ... Urry, C. M. (2009). The XMM-Newton wide-field survey in the COSMOS field. The point-like X-ray source catalogue. *Astronomy and Astrophysics*, 497, 635–648. JOUR. <http://doi.org/10.1051/0004-6361/200810794>

Cappelluti, N., Brusa, M., Hasinger, G., Comastri, A., Zamorani, G., Finoguenov, A., ... Urry, C. M. (2009). The XMM- Newton wide-field survey in the COSMOS field. *Astronomy and Astrophysics*, 497(2), 635–648. article. <http://doi.org/10.1051/0004-6361/200810794>

Cappelluti, N., Cappi, M., Dadina, M., Malaguti, G., Branchesi, M., D'Elia, V., & Palumbo, G. G. C. (2005). X-ray source overdensities in Chandra distant cluster fields: A new probe to map the cosmic tapestry? *Astronomy and Astrophysics*, 430(1), 39–45. article. <http://doi.org/10.1051/0004-6361:20041534>

Cappelluti, N., Comastri, A., Fontana, A., Zamorani, G., Amorin, R., Castellano, M., ... Vito, F. (2016). CHANDRA COUNTERPARTS OF CANDELS GOODS-S SOURCES. *The Astrophysical Journal*, 823(2), 95. article. <http://doi.org/10.3847/0004-637X/823/2/95>

Cappelluti, N., Hasinger, G., Brusa, M., Comastri, A., Zamorani, G., Böhringer, H., ... Silverman, J. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. II. X-Ray Data and the logN-logS Relations. *The Astrophysical Journal Supplement Series*, 172, 341–352. JOUR. <http://doi.org/10.1086/516586>

Cappelluti, N., Hasinger, G., Brusa, M., Comastri, A., Zamorani, G., Böhringer, H., ... Silverman, J. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. II. X-Ray Data and the log N -log S Relations. *The Astrophysical Journal Supplement Series*, 172(1), 341–352. article. <http://doi.org/10.1086/516586>

Cappelluti, N., Kashlinsky, A., Arendt, R. G., Comastri, A., Fazio, G. G., Finoguenov, A., ... Moseley, S. H. (2013). CROSS-CORRELATING COSMIC INFRARED AND X-RAY BACKGROUND FLUCTUATIONS: EVIDENCE OF SIGNIFICANT BLACK HOLE

POPULATIONS AMONG THE CIB SOURCES. *The Astrophysical Journal*, 769(1), 68. article. <http://doi.org/10.1088/0004-637X/769/1/68>

Cappelluti, N., Ranalli, P., Roncarelli, M., Arevalo, P., Zamorani, G., Comastri, A., ... Kashlinsky, A. (2012). The nature of the unresolved extragalactic cosmic soft X-ray background. *Monthly Notices of the Royal Astronomical Society*, 427(1), 651–663. article. <http://doi.org/10.1111/j.1365-2966.2012.21867.x>

Castellano, M., Amorín, R., Merlin, E., Fontana, A., McLure, R. J., Mármol-Queraltó, E., ... Wang, T. (2016). The ASTRODEEP Frontier Fields catalogues. II. Photometric redshifts and rest frame properties in Abell-2744 and MACS-J0416. *Astronomy and Astrophysics*, 590, A31. JOUR. <http://doi.org/10.1051/0004-6361/201527514>

Cisternas, M., Jahnke, K., Inskip, K. J., Kartaltepe, J., Koekemoer, A. M., Lisker, T., ... Taniguchi, Y. (2011). The Bulk of the Black Hole Growth Since $z \sim 1$ Occurs in a Secular Universe: No Major Merger-AGN Connection. *The Astrophysical Journal*, 726, 57. JOUR. <http://doi.org/10.1088/0004-637X/726/2/57>

Civano, F., Elvis, M., Brusa, M., Comastri, A., Salvato, M., Zamorani, G., ... Wright, N. J. (2012). The Chandra COSMOS Survey. III. Optical and Infrared Identification of X-Ray Point Sources. *The Astrophysical Journal Supplement Series*, 201, 30. JOUR. <http://doi.org/10.1088/0067-0049/201/2/30>

Civano, F., Elvis, M., Lanzuisi, G., Jahnke, K., Zamorani, G., Blecha, L., ... Taniguchi, Y. (2010). A Runaway Black Hole in COSMOS: Gravitational Wave or Slingshot Recoil? *The Astrophysical Journal*, 717, 209–222. JOUR. <http://doi.org/10.1088/0004-637X/717/1/209>

Civano, F., Marchesi, S., Comastri, A., Urry, M. C., Elvis, M., Cappelluti, N., ... Vignali, C. (2016). The Chandra Cosmos Legacy Survey: Overview and Point Source Catalog. *The Astrophysical Journal*, 819, 62. JOUR. <http://doi.org/10.3847/0004-637X/819/1/62>

Comastri, A., Ranalli, P., Iwasawa, K., Vignali, C., Gilli, R., Georgantopoulos, I., ... Xue, Y. Q. (2011). The XMM Deep survey in the CDF-S. I. First results on heavily obscured AGN. *Astronomy and Astrophysics*, 526, L9. JOUR. <http://doi.org/10.1051/0004-6361/201016119>

Elvis, M., Hao, H., Civano, F., Brusa, M., Salvato, M., Bongiorno, A., ... Zatloukal, M. (2012). Spectral Energy Distributions of Type 1 Active Galactic Nuclei in the COSMOS Survey. I. The XMM-COSMOS Sample. *The Astrophysical Journal*, 759, 6. JOUR. <http://doi.org/10.1088/0004-637X/759/1/6>

Elvis, M., Civano, F., Vignali, C., Puccetti, S., Fiore, F., Cappelluti, N., ... Volonteri, M. (2009). The Chandra COSMOS Survey. I. Overview and Point Source Catalog. *The Astrophysical Journal Supplement Series*, 184, 158–171. JOUR. <http://doi.org/10.1088/0067-0049/184/1/158>

Erfanianfar, G., Finoguenov, A., Tanaka, M., Lerchster, M., Nandra, K., Laird, E., ... Gwyn, S. (2013). X-Ray Groups of Galaxies in the AEGIS Deep and Wide Fields. *The Astrophysical Journal*, 765, 117. JOUR. <http://doi.org/10.1088/0004-637X/765/2/117>

Erfanianfar, G., Popesso, P., Finoguenov, A., Wilman, D., Wuyts, S., Biviano, A., ... Pozzi, F. (2016). Non-linearity and environmental dependence of the star-forming galaxies main sequence. *Monthly Notices of the Royal Astronomical Society*, 455, 2839–2851. JOUR. <http://doi.org/10.1093/mnras/stv2485>

Erfanianfar, G., Popesso, P., Finoguenov, A., Wuyts, S., Wilman, D., Biviano, A., ... Pozzi, F. (2014). The evolution of star formation activity in galaxy groups. *Monthly Notices of the Royal Astronomical Society*, 445, 2725–2745. JOUR. <http://doi.org/10.1093/mnras/stu1883>

Finoguenov, A., Guzzo, L., Hasinger, G., Scoville, N. Z., Aussel, H., Böhringer, H., ... Zamorani, G. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field: Statistical Properties of Clusters of Galaxies. *The Astrophysical Journal Supplement Series*, 172, 182–195. JOUR. <http://doi.org/10.1086/516577>

Finoguenov, A., Tanaka, M., Cooper, M., Allevato, V., Cappelluti, N., Choi, A., ... Popesso, P. (2015). Ultra-deep catalog of X-ray groups in the Extended Chandra Deep Field South. *Astronomy and Astrophysics*, 576, A130. JOUR. <http://doi.org/10.1051/0004-6361/201323053>

Fiore, F., Puccetti, S., Brusa, M., Salvato, M., Zamorani, G., Aldcroft, T., ... Yan, L. (2009). Chasing Highly Obscured QSOs in the COSMOS Field. *The Astrophysical Journal*, 693, 447–462. JOUR. <http://doi.org/10.1088/0004-637X/693/1/447>

Foschini, L., Ebisawa, K., Kawaguchi, T., Cappelluti, N., Grandi, P., Malaguti, G., ... Palumbo, G. G. C. (2006). The application of slim disk models to ULX: The case of M33 X-8. *Advances in Space Research*, 38, 1378–1381. JOUR. <http://doi.org/10.1016/j.asr.2005.06.024>

Fotopoulou, S., Buchner, J., Georgantopoulos, I., Hasinger, G., Salvato, M., Georgakakis, A., ... Paltani, S. (2016). The 5-10 keV AGN luminosity function at $0.01 < z < 4.0$. *Astronomy and Astrophysics*, 587, A142. JOUR. <http://doi.org/10.1051/0004-6361/201424763>

Gabor, J. M., Impey, C. D., Jahnke, K., Simmons, B. D., Trump, J. R., Koekemoer, A. M., ... Scoville, N. (2009). Active Galactic Nucleus Host Galaxy Morphologies in COSMOS. *The Astrophysical Journal*, 691, 705–722. JOUR. <http://doi.org/10.1088/0004-637X/691/1/705>

Georgantopoulos, I., Comastri, A., Vignali, C., Ranalli, P., Rovilos, E., Iwasawa, K., ... Falocco, S. (2013). The XMM deep survey in the CDF-S. IV. Compton-thick AGN candidates. *Astronomy and Astrophysics*, 555, A43. JOUR. <http://doi.org/10.1051/0004-6361/201220828>

Georgantopoulos, I., Rovilos, E., Akylas, A., Comastri, A., Ranalli, P., Vignali, C., ... Cappelluti, N. (2011). On the $L_x - L_6 \mu m$ ratio as a diagnostic for Compton-thick AGN. *Astronomy and Astrophysics*, 534, A23. JOUR. <http://doi.org/10.1051/0004-6361/201117400>

Gilli, R., Zamorani, G., Miyaji, T., Silverman, J., Brusa, M., Mainieri, V., ... Walcher, J. (2009). The spatial clustering of X-ray selected AGN in the XMM-COSMOS field. *Astronomy and Astrophysics*, 494, 33–48. JOUR. <http://doi.org/10.1051/0004-6361:200810821>

Gobat, R., Daddi, E., Béthermin, M., Pannella, M., Finoguenov, A., Gozaliasl, G., ... Hasinger, G. (2015). Satellite content and quenching of star formation in galaxy groups at $z \sim 1.8$. *Astronomy and Astrophysics*, 581, A56. JOUR. <http://doi.org/10.1051/0004-6361/201526274>

Hasinger, G., Cappelluti, N., Brunner, H., Brusa, M., Comastri, A., Elvis, M., ... Zamorani, G. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. I. Survey Description. *The Astrophysical Journal Supplement Series*, 172, 29–37. JOUR. <http://doi.org/10.1086/516576>

Helgason, K., Cappelluti, N., Hasinger, G., Kashlinsky, A., & Ricotti, M. (2014). The Contribution of $z < 6$ Sources to the Spatial Coherence in the Unresolved Cosmic Near-infrared and X-Ray Backgrounds. *The Astrophysical Journal*, 785, 38. JOUR. <http://doi.org/10.1088/0004-637X/785/1/38>

Iwasawa, K., Gilli, R., Vignali, C., Comastri, A., Brandt, W. N., Ranalli, P., ... Paolillo, M. (2012). The XMM deep survey in the CDF-S. II. A 9-20 keV selection of heavily obscured active galaxies at $z > 1.7$. *Astronomy and Astrophysics*, 546, A84. JOUR. <http://doi.org/10.1051/0004-6361/201220036>

Iwasawa, K., Mainieri, V., Brusa, M., Comastri, A., Gilli, R., Vignali, C., ... Trump, J. R. (2012). Fe K emission from active galaxies in the COSMOS field. *Astronomy and Astrophysics*, 537, A86. JOUR. <http://doi.org/10.1051/0004-6361/201118203>

Jahnke, K., Bongiorno, A., Brusa, M., Capak, P., Cappelluti, N., Cisternas, M., ... Yan, L. (2009). Massive Galaxies in COSMOS: Evolution of Black Hole Versus Bulge Mass but not Versus Total Stellar Mass Over the Last 9 Gyr? *The Astrophysical Journal Letters*, 706, L215–L220. JOUR. <http://doi.org/10.1088/0004-637X/706/2/L215>

Jelić, V., Smolčić, V., Finoguenov, A., Tanaka, M., Civano, F., Schinnerer, E., ... Koekemoer, A. (2012). Extended X-ray emission from non-thermal sources in the COSMOS field: a detailed study of a large radio galaxy at $z=1.168$. *Monthly Notices of the Royal Astronomical Society*, 423, 2753–2763. JOUR. <http://doi.org/10.1111/j.1365-2966.2012.21085.x>

LaMassa, S. M., Civano, F., Brusa, M., Stern, D., Glikman, E., Gallagher, S., ... Treister, E. (2016). On R-W1 as A Diagnostic to Discover Obscured Active Galactic Nuclei in Wide-area X-Ray Surveys. *The Astrophysical Journal*, 818, 88. JOUR. <http://doi.org/10.3847/0004-637X/818/1/88>

LaMassa, S. M., Urry, C. M., Cappelluti, N., Böhringer, H., Comastri, A., Glikman, E., ... Viero, M. (2016). The 31 Deg2 Release of the Stripe 82 X-Ray Survey: The Point Source Catalog. *The Astrophysical Journal*, 817, 172. JOUR. <http://doi.org/10.3847/0004-637X/817/2/172>

LaMassa, S. M., Urry, C. M., Cappelluti, N., Civano, F., Ranalli, P., Glikman, E., ... Nandra, K. (2013). Finding rare AGN: XMM-Newton and Chandra observations of SDSS Stripe 82. *Monthly Notices of the Royal Astronomical Society*, 436, 3581–3601. JOUR. <http://doi.org/10.1093/mnras/stt1837>

LaMassa, S. M., Urry, C. M., Cappelluti, N., Civano, F., Ranalli, P., Glikman, E., ... Nandra, K. (2016). Erratum: Finding rare AGN: XMM-Newton and Chandra observations of SDSS Stripe 82. *Monthly Notices of the Royal Astronomical Society*, 458, 3820. JOUR. <http://doi.org/10.1093/mnras/stw617>

LaMassa, S. M., Urry, C. M., Glikman, E., Cappelluti, N., Civano, F., Comastri, A., ... Schawinski, K. (2013). Finding rare AGN: X-ray number counts of Chandra sources in Stripe 82. *Monthly Notices of the Royal Astronomical Society*, 432, 1351–1360. JOUR. <http://doi.org/10.1093/mnras/stt553>

Lanzuisi, G., Civano, F., Marchesi, S., Comastri, A., Costantini, E., Elvis, M., ... Fruscione, A. (2013). The XMM-Newton Spectrum of a Candidate Recoiling Supermassive Black Hole: An Elusive Inverted P-Cygni Profile. *The Astrophysical Journal*, 778, 62. JOUR. <http://doi.org/10.1088/0004-637X/778/1/62>

Lanzuisi, G., Perna, M., Delvecchio, I., Berta, S., Brusa, M., Cappelluti, N., ... Zamorani, G. (2015). The most obscured AGN in the COSMOS field. *Astronomy and Astrophysics*, 578, A120. JOUR. <http://doi.org/10.1051/0004-6361/201526036>

Lanzuisi, G., Ponti, G., Salvato, M., Hasinger, G., Cappelluti, N., Bongiorno, A., ... Trakhtenbrot, B. (2014). Active Galactic Nucleus X-Ray Variability in the XMM-COSMOS Survey. *The Astrophysical Journal*, 781, 105. JOUR. <http://doi.org/10.1088/0004-637X/781/2/105>

Lanzuisi, G., Ranalli, P., Georgantopoulos, I., Georgakakis, A., Delvecchio, I., Akylas, T., ... Zamorani, G. (2015). Compton thick AGN in the XMM-COSMOS survey. *Astronomy and Astrophysics*, 573, A137. JOUR. <http://doi.org/10.1051/0004-6361/201424924>

Leauthaud, A., Finoguenov, A., Kneib, J.-P., Taylor, J. E., Massey, R., Rhodes, J., ... Wolk, M. (2010). A Weak Lensing Study of X-ray Groups in the CosmoS Survey: Form and Evolution of the Mass-Luminosity Relation. *The Astrophysical Journal*, 709, 97–114. JOUR. <http://doi.org/10.1088/0004-637X/709/1/97>

Lusso, E., Comastri, A., Vignali, C., Zamorani, G., Brusa, M., Gilli, R., ... Vergani, D. (2010). The X-ray to optical-UV luminosity ratio of X-ray selected type 1 AGN in XMM-COSMOS. *Astronomy and Astrophysics*, 512, A34. JOUR. <http://doi.org/10.1051/0004-6361/200913298>

Mainieri, V., Bongiorno, A., Merloni, A., Aller, M., Carollo, M., Iwasawa, K., ... Trump, J. (2011). Black hole accretion and host galaxies of obscured quasars in XMM-COSMOS. *Astronomy and Astrophysics*, 535, A80. JOUR. <http://doi.org/10.1051/0004-6361/201117259>

Mainieri, V., Hasinger, G., Cappelluti, N., Brusa, M., Brunner, H., Civano, F., ... Taniguchi, Y. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. IV. X-Ray Spectral Properties of Active Galactic Nuclei. *The Astrophysical Journal Supplement Series*, 172, 368–382. JOUR. <http://doi.org/10.1086/516573>

Mainieri, V., Vignali, C., Merloni, A., Civano, F., Puccetti, S., Brusa, M., ... Trump, J. (2010). Ultraluminous X-ray sources out to $z \sim 0.3$ in the COSMOS field. *Astronomy and Astrophysics*, 514, A85. JOUR. <http://doi.org/10.1051/0004-6361/200912544>

Marchesi, S., Civano, F., Elvis, M., Salvato, M., Brusa, M., Comastri, A., ... Trakhtenbrot, B. (2016). The Chandra COSMOS Legacy survey: optical/IR identifications. *The Astrophysical Journal*, 817, 34. JOUR. <http://doi.org/10.3847/0004-637X/817/1/34>

Merlin, E., Amorín, R., Castellano, M., Fontana, A., Buitrago, F., Dunlop, J. S., ... Wang, T. (2016). The ASTRODEEP Frontier Fields catalogues. I. Multiwavelength photometry of Abell-2744 and MACS-J0416. *Astronomy and Astrophysics*, 590, A30. JOUR. <http://doi.org/10.1051/0004-6361/201527513>

Merlin, E., Fontana, A., Ferguson, H. C., Dunlop, J. S., Elbaz, D., Bourne, N., ... Santini, P. (2015). T-PHOT: A new code for PSF-matched, prior-based, multiwavelength extragalactic deconvolution photometry. *Astronomy and Astrophysics*, 582, A15. JOUR. <http://doi.org/10.1051/0004-6361/201526471>

Merloni, A., Bongiorno, A., Brusa, M., Iwasawa, K., Mainieri, V., Magnelli, B., ... Zamorani, G. (2014). The incidence of obscuration in active galactic nuclei. *Monthly Notices of the Royal Astronomical Society*, 437, 3550–3567. JOUR. <http://doi.org/10.1093/mnras/stt2149>

Miyaji, T., Hasinger, G., Salvato, M., Brusa, M., Cappelluti, N., Civano, F., ... Vignali, C. (2015). Detailed Shape and Evolutionary Behavior of the X-Ray Luminosity Function of Active Galactic Nuclei. *The Astrophysical Journal*, 804, 104. JOUR. <http://doi.org/10.1088/0004-637X/804/2/104>

Miyaji, T., Zamorani, G., Cappelluti, N., Gilli, R., Griffiths, R. E., Comastri, A., ... Finoguenov, A. (2007). The XMM-Newton Wide-Field Survey in the COSMOS Field. V. Angular Clustering of the X-Ray Point Sources. *The Astrophysical Journal Supplement Series*, 172, 396–405. JOUR. <http://doi.org/10.1086/516579>

Morselli, L., Mignoli, M., Gilli, R., Vignali, C., Comastri, A., Sani, E., ... Vanzella, E. (2014). Primordial environment of super massive black holes: large-scale galaxy overdensities around $z \sim 6$ quasars with LBT. *Astronomy and Astrophysics*, 568, A1. JOUR. <http://doi.org/10.1051/0004-6361/201423853>

Pace, F., Maturi, M., Bartelmann, M., Cappelluti, N., Dolag, K., Meneghetti, M., & Moscardini, L. (2008). Statistical properties of SZ and X-ray cluster detections. *Astronomy and Astrophysics*, 483, 389–400. JOUR. <http://doi.org/10.1051/0004-6361:200809550>

Predehl, P., Böhringer, H., Brunner, H., Brusa, M., Burwitz, V., Cappelluti, N., ... Tenzer, C. (2010). eROSITA on SRG. *X-Ray Astronomy 2009; Present Status, Multi-Wavelength Approach and Future Perspectives*, 1248, 543–548. JOUR. <http://doi.org/10.1063/1.3475336>

Puccetti, S., Vignali, C., Cappelluti, N., Fiore, F., Zamorani, G., Aldcroft, T. L., ... Mainieri, V. (2009). The Chandra Survey of the COSMOS Field. II. Source Detection and Photometry. *The Astrophysical Journal Supplement Series*, 185, 586–601. JOUR. <http://doi.org/10.1088/0067-0049/185/2/586>

Ranalli, P., Comastri, A., Vignali, C., Carrera, F. J., Cappelluti, N., Gilli, R., ... Mainieri, V. (2013). The XMM deep survey in the CDF-S. III. Point source catalogue and number counts in the hard X-rays. *Astronomy and Astrophysics*, 555, A42. JOUR. <http://doi.org/10.1051/0004-6361/201321211>

Ranalli, P., Comastri, A., Zamorani, G., Cappelluti, N., Civano, F., Georgantopoulos, I., ... Vignali, C. (2012). X-ray properties of radio-selected star forming galaxies in the Chandra-COSMOS survey. *Astronomy and Astrophysics*, 542, A16. JOUR.
<http://doi.org/10.1051/0004-6361/201118723>

Ranalli, P., Koulouridis, E., Georgantopoulos, I., Fotopoulou, S., Hsu, L.-T., Salvato, M., ... Vignali, C. (2016). The 2-10 keV unabsorbed luminosity function of AGN from the LSS, CDFS, and COSMOS surveys. *Astronomy and Astrophysics*, 590, A80. JOUR.
<http://doi.org/10.1051/0004-6361/201527013>

Roncarelli, M., Cappelluti, N., Borgani, S., Branchini, E., & Moscardini, L. (2012). The effect of feedback on the emission properties of the warm-hot intergalactic medium. *Monthly Notices of the Royal Astronomical Society*, 424, 1012–1025. JOUR.
<http://doi.org/10.1111/j.1365-2966.2012.21277.x>

Rovilos, E., Comastri, A., Gilli, R., Georgantopoulos, I., Ranalli, P., Vignali, C., ... Valtchanov, I. (2012). GOODS-Herschel: ultra-deep XMM-Newton observations reveal AGN/star-formation connection. *Astronomy and Astrophysics*, 546, A58. JOUR.
<http://doi.org/10.1051/0004-6361/201218952>

Salvato, M., Hasinger, G., Ilbert, O., Zamorani, G., Brusa, M., Scoville, N. Z., ... Zamojski, M. (2009). Photometric Redshift and Classification for the XMM-COSMOS Sources. *The Astrophysical Journal*, 690, 1250–1263. JOUR.
<http://doi.org/10.1088/0004-637X/690/2/1250>

Salvato, M., Ilbert, O., Hasinger, G., Rau, A., Civano, F., Zamorani, G., ... Zucca, E. (2011). Dissecting Photometric Redshift for Active Galactic Nucleus Using XMM- and Chandra-COSMOS Samples. *The Astrophysical Journal*, 742, 61. JOUR.
<http://doi.org/10.1088/0004-637X/742/2/61>

Sargent, M. T., Schinnerer, E., Murphy, E., Aussel, H., Le Floch, E., Frayer, D. T., ... Scoville, N. Z. (2010). The VLA-COSMOS Perspective on the Infrared-Radio Relation. I. New Constraints on Selection Biases and the Non-Evolution of the Infrared/Radio Properties of Star-Forming and Active Galactic Nucleus Galaxies at Intermediate and High Redshift. *The Astrophysical Journal Supplement Series*, 186, 341–377. JOUR.
<http://doi.org/10.1088/0067-0049/186/2/341>

Shu, X. W., Elbaz, D., Bourne, N., Schreiber, C., Wang, T., Dunlop, J. S., ... Ferguson, H. C. (2016). Identification of $z \gtrsim 2$ Herschel 500 μm Sources Using Color Deconfusion. *The Astrophysical Journal Supplement Series*, 222, 4. JOUR.
<http://doi.org/10.3847/0067-0049/222/1/4>

Silverman, J. D., Kampczyk, P., Jahnke, K., Andrae, R., Lilly, S. J., Elvis, M., ... Salvato, M. (2011). The Impact of Galaxy Interactions on Active Galactic Nucleus Activity in

zCOSMOS. *The Astrophysical Journal*, 743, 2. JOUR. <http://doi.org/10.1088/0004-637X/743/1/2>

Silverman, J. D., Kovač, K., Knobel, C., Lilly, S., Bolzonella, M., Lamareille, F., ... Salvato, M. (2009). The Environments of Active Galactic Nuclei within the zCOSMOS Density Field. *The Astrophysical Journal*, 695, 171–182. JOUR. <http://doi.org/10.1088/0004-637X/695/1/171>

Silverman, J. D., Lamareille, F., Maier, C., Lilly, S. J., Mainieri, V., Brusa, M., ... Salvato, M. (2009). Ongoing and Co-Evolving Star Formation in zCOSMOS Galaxies Hosting Active Galactic Nuclei. *The Astrophysical Journal*, 696, 396–410. JOUR. <http://doi.org/10.1088/0004-637X/696/1/396>

Smolčić, V., Aravena, M., Navarrete, F., Schinnerer, E., Riechers, D. A., Bertoldi, F., ... Taniguchi, Y. (2012). Millimeter imaging of submillimeter galaxies in the COSMOS field: redshift distribution. *Astronomy and Astrophysics*, 548, A4. JOUR. <http://doi.org/10.1051/0004-6361/201219368>

Tanaka, M., Finoguenov, A., Mirkazemi, M., Wilman, D. J., Mulchaey, J. S., Ueda, Y., ... Cappelluti, N. (2013). An X-Ray Detected Group of Quiescent Early-Type Galaxies at $z = 1.6$ in the Chandra Deep Field South. *Publications of the Astronomical Society of Japan*, 65, 17. JOUR. <http://doi.org/10.1093/pasj/65.1.17>

Trump, J. R., Impey, C. D., Elvis, M., McCarthy, P. J., Huchra, J. P., Brusa, M., ... Smolčić, V. (2009). The COSMOS Active Galactic Nucleus Spectroscopic Survey. I. XMM-Newton Counterparts. *The Astrophysical Journal*, 696, 1195–1212. JOUR. <http://doi.org/10.1088/0004-637X/696/2/1195>

Trump, J. R., Impey, C. D., Kelly, B. C., Elvis, M., Merloni, A., Bongiorno, A., ... Scoville, N. Z. (2009). Observational Limits on Type 1 Active Galactic Nucleus Accretion Rate in COSMOS. *The Astrophysical Journal*, 700, 49–55. JOUR. <http://doi.org/10.1088/0004-637X/700/1/49>

Vanzella, E., de Barros, S., Vasei, K., Alavi, A., Giavalisco, M., Siana, B., ... Zamorani, G. (2016). Hubble Imaging of the Ionizing Radiation from a Star-forming Galaxy at $Z=3.2$ with $f_{\text{esc}} > 50\%$. *The Astrophysical Journal*, 825, 41. JOUR. <http://doi.org/10.3847/0004-637X/825/1/41>

Vignali, C., Iwasawa, K., Comastri, A., Gilli, R., Lanzuisi, G., Ranalli, P., ... Tombesi, F. (2015). The XMM deep survey in the CDF-S. IX. An X-ray outflow in a luminous obscured quasar at $z \approx 1.6$. *Astronomy and Astrophysics*, 583, A141. JOUR. <http://doi.org/10.1051/0004-6361/201525852>

Vito, F., Gilli, R., Vignali, C., Brandt, W. N., Comastri, A., Yang, G., ... Xue, Y. Q. (2016). The deepest X-ray view of high-redshift galaxies: constraints on low-rate black hole accretion. *Monthly Notices of the Royal Astronomical Society*, 463, 348–374. JOUR. <http://doi.org/10.1093/mnras/stw1998>

Vito, F., Gilli, R., Vignali, C., Comastri, A., Brusa, M., Cappelluti, N., & Iwasawa, K. (2014). The hard X-ray luminosity function of high-redshift ($3 < z \lesssim 5$) active galactic nuclei. *Monthly Notices of the Royal Astronomical Society*, 445, 3557–3574. JOUR. <http://doi.org/10.1093/mnras/stu2004>

Wang, T., Elbaz, D., Daddi, E., Finoguenov, A., Liu, D., Schreiber, C., ... Li, Y. (2016). Discovery of a Galaxy Cluster with a Violently Starbursting Core at $z = 2.506$. *The Astrophysical Journal*, 828, 56. JOUR. <http://doi.org/10.3847/0004-637X/828/1/56>

Ziparo, F., Popesso, P., Biviano, A., Finoguenov, A., Wuyts, S., Wilman, D., ... Mulchaey, J. S. (2013). The lack of star formation gradients in galaxy groups up to $z \sim 1.6$. *Monthly Notices of the Royal Astronomical Society*, 434, 3089–3103. JOUR. <http://doi.org/10.1093/mnras/stt1222>

Ziparo, F., Popesso, P., Finoguenov, A., Biviano, A., Wuyts, S., Wilman, D., ... Mulchaey, J. S. (2014). Reversal or no reversal: the evolution of the star formation rate-density relation up to $z \sim 1.6$. *Monthly Notices of the Royal Astronomical Society*, 437, 458–474. JOUR. <http://doi.org/10.1093/mnras/stt1901>