

Publications

1. Nelson, D.M. and **L.E. Brand**. 1979. Cell-division periodicity in 13 species of marine phytoplankton on a light:dark cycle. *J. Phycol.* 15:67-75.
2. Waterbury, J.B., S.W. Watson, R.R.L. Guillard, and **L.E. Brand**. 1979. Widespread occurrence of a unicellular, marine planktonic cyanobacterium. *Nature* 277:293-294.
3. Dudley, W.C., J.C. Duplessy, P.L. Blackwelder, **L.E. Brand**, and R.R.L. Guillard. 1980. Coccoliths in Pleistocene-Holocene nannofossil assemblages. *Nature* 285:222-223.
4. **Brand, L.E.**, R.R.L. Guillard, and L.S. Murphy. 1981. A method for the rapid and precise determination of acclimated phytoplankton reproduction rates. *J. Plankton Res.* 3:193-201.
5. **Brand, L.E.**, and R.R.L. Guillard. 1981. The effects of continuous light and light intensity on the reproduction rate of twenty-two species of marine phytoplankton. *J. Exp. Mar. Biol. Ecol.* 50:119-132.
6. Chisholm, S.W., and **L.E. Brand**. 1981. Persistence of cell division phasing in marine phytoplankton in continuous light after entrainment to light:dark cycles. *J. Exp. Mar. Biol. Ecol.* 51:107-118.
7. **Brand, L.E.**, L.S. Murphy, R.R.L. Guillard, and H.-t. Lee. 1981. Genetic variability and differentiation in the temperature niche component of the diatom *Thalassiosira pseudonana*. *Mar. Biol.* 62:103-110.
8. **Brand, L.E.** 1981. Genetic variability in reproduction rates in marine phytoplankton populations. *Evolution* 35:1117-1127.
9. **Brand, L.E.** 1982. Genetic variability and spatial patterns of genetic differentiation in the reproduction rates of the marine coccolithophores *Emiliana huxleyi* and *Gephyrocapsa oceanica*. *Limnol. Oceanogr.* 27:236-245.
10. Tangen, K., **L.E. Brand**, P.L. Blackwelder, and R.R.L. Guillard. 1982. *Thoracosphaera heimii* (Lohmann) Kamptner is a Dinophyte: Observations on its morphology and life cycle. *Mar. Micropaleo.* 7: 193-212.
11. **Brand, L.E.** 1982. Persistent diel rhythms in the chlorophyll fluorescence of marine phytoplankton species. *Mar. Biol.* 69:253-262.
12. **Brand, L.E.**, W.G. Sunda, and R.R.L. Guillard. 1983. Limitation of marine phytoplankton reproductive rates by zinc, manganese and iron. *Limnol. Oceanogr.* 28:1182-1198.
13. **Brand, L.E.** 1984. The salinity tolerance of forty-six marine phytoplankton isolates. *Est. Coast. Shelf. Sci.* 18:543-556.
14. **Brand, L.E.** 1985. Low genetic variability in reproduction rates in populations of *Prorocentrum micans* Ehrenb. (Dinophyceae) over Georges Bank. *J. Exp. Mar. Biol. Ecol.* 88:55-65.

15. Dudley, W.C., P. Blackwelder, **L. Brand**, and J.C. Duplessy. 1986. Stable isotopic composition of coccoliths. *Mar. Micropaleo.* 10:1–8.
16. **Brand, L.E.**, W.G. Sunda, and R.R.L. Guillard. 1986. Reduction of marine phytoplankton reproduction rates by copper and cadmium. *J. Exp. Mar. Biol. Ecol.* 96:225–250.
17. **Brand, L.E.** 1986. Nutrition and culture of autotrophic ultraplankton and picoplankton. *Can. Bull. Fish. Aquat. Sci.* 214:205–233.
18. Moffett, J.W., R.G. Zika and **L.E. Brand**. 1990. Distribution and potential sources and sinks of copper chelators in the Sargasso Sea. *Deep Sea Res.* 37:27–35.
19. **Brand, L.E.** 1990. The isolation and culture of microalgae for biotechnological applications. pp. 81–115, In: *Isolation of Biotechnological Organisms from Nature*, Ed. by D.P. Labeda, McGraw–Hill.
20. **Brand, L.E.** 1991. Review of genetic variation in marine phytoplankton species and the ecological implications. *Biol. Oceanogr.* 6:397–409.
21. **Brand, L.E.**, M.D. Gottfried, C.C. Baylon and N.S. Romer. 1991. The spatial and temporal distribution of phytoplankton in Biscayne Bay, Florida. *Bull. Mar. Sci.* 49:599–613.
22. **Brand, L.E.** 1991. Minimum iron requirements of marine phytoplankton and the implications for the biogeochemical control of new production. *Limnol. Oceanogr.* 36: 1756–1771.
23. Yih, W.H. and **L.E. Brand**. 1993. Iron–limited biomass yields of marine phytoplankton clones. *J. Ocean. Soc. Korea* 28:79–85.
24. **Brand, L.E.** 1994. Physiological ecology of marine coccolithophores. pp. 39–49. In: *Coccolithophores*, Ed. by A. Winter and W. Siesser, Cambridge University Press.
25. Milne, P.J., D.D. Riemer, R.G. Zika and **L.E. Brand**. 1995. Measurement of vertical distribution of isoprene in surface seawater, its chemical fate, and its emission from several phytoplankton monocultures. *Mar. Chem.* 48: 237–244.
26. Moffett, J.W. and **L.E. Brand**. 1996. Production of strong, extracellular Cu chelators by marine cyanobacteria in response to Cu stress. *Limnol. Oceanogr.* 41:388–395.
27. Moffett, J.W. , **L.E. Brand**, P.L. Croot and K.A. Barbeau. 1997. Cu speciation and cyanobacterial distribution in harbors subject to anthropogenic Cu inputs. *Limnol. Oceanogr.* 42: 789–799.
28. Santana–Casiano, J.M., M. Gonzalez–Davila, L.M. Laglera, J. Perez–Pena, **L.E. Brand** and F.J. Millero. 1997. The influence of zinc, aluminum and cadmium on the uptake kinetics of iron by algae. *Mar. Chem.* 59: 95–111.
29. Boyer, G.L. and **L.E. Brand**. 1998. Trace elements and harmful algal blooms. pp. 489–508, In: *Physiological Ecology of Harmful Algal Blooms*, Ed. by D.M. Anderson, A.D. Cembella and G.M. Hallegraeff, Springer–Verlag, Heidelberg.

30. Croot, P.L., J.W. Moffett and **L.E. Brand**. 2000. Production of extracellular Cu complexing ligands by eucaryotic phytoplankton in response to Cu stress. *Limnol. Oceanogr.* 45: 619–627.
31. Top, Z., **L.E. Brand**, R.D. Corbett, W. Burnett and J. Chanton. 2001. Helium as a tracer of groundwater input into Florida Bay. *J. Coastal Res.* 17: 859–868.
32. **Brand, L.E.** 2002. The transport of terrestrial nutrients to South Florida coastal waters. pp. 353–406, In: *The Everglades, Florida Bay, and Coral Reefs of the Florida Keys*, Ed. by J.W. Porter and K.G. Porter, CRC Press, Boca Raton, Florida.
33. Heikes, B.G., W. Chang, M.E.Q. Pilson, E. Swift, H.B. Singh, A. Guenther, D.J. Jacob. B. D. Field, R. Fall, D. Riemer, and **L. Brand**. 2002. Atmospheric methanol budget and ocean implication. *Global. Biogeochem. Cycles* 16(4), 1133, doi: 10.1029/2002GB001895: 80–1 to 13.
34. **Brand, L.E.** 2002. Phytoplankton (Planktonic Algae) in the Marine Environment. Pp. 2502–2518, In: *The Encyclopedia of Environmental Microbiology*, Vol. 5, Ed. by G. Bitton, John Wiley and Sons, New York.
35. Quinn, P., H.R. Thierstein, **L. Brand** and A. Winter. 2003. Experimental evidence for the species character of *Calcidiscus leptoporus* morphotypes. *J. Paleont.* 77: 825–830.
36. Clark, C.D., W.T. Hiscock, F.J. Millero, G. Hitchcock, **L. Brand**, W.L. Miller, L. Ziolkowski, R.F. Chen and R.G. Zika. 2004. CDOM distribution and CO₂ production on the Southwest Florida Shelf. *Mar. Chem.* 89: 145–167.
37. Olascoaga, M.J., Rypina, I.I., Brown, M.G., Beron-Vera, F.J., Kocak, H., **Brand, L.E.**, Halliwell, G.R., and Shay, L.K. 2006. Persistent transport barrier on the west Florida shelf. *Geophys. Res. Lett.* 33, L22603, doi10.1029/2006GL027800/
38. Benetti, D., **L. Brand**, J. Collins, R. Orhun, A. Benetti, B. O’Hanlon, A. Danylchuk, D. Alston, J. Rivera, and A. Cabarcas. 2006. Can offshore aquaculture of carnivorous fish be sustainable? *World Aquaculture* 37: 44–47.
39. **Brand, L.E.** and A. Compton. 2007. Long-term increase in *Karenia brevis* abundance along the southwest Florida coast. *Harmful Algae* 7: 232–252.
40. Sinigalliano, C.D., M.L. Gidley, T. Shibata, D. Whitman, T.H. Dixon, E. Laws, Hou, D. Bacheon, **L. Brand**, L. Amaral-Zettler, R.J. Gast, G.F. Steward, O.D. Nigro, R. Fujioka, W.Q. Betancourt, G. Vithangae, J. Mathews, L.E. Fleming, and H.M. Solo-Gabriele. 2007. Impacts of Hurricane Katrina on microbial landscape of the New Orleans area. *Proc. Nat. Acad. Sci.* 104: 9029–9034.
41. Mendoza, W.G., R.N. Mead, **L.E. Brand**, and D. Shea. 2008. Analysis and detection of brevetoxin analogs in recent marine sediments by HPLC. *Chemosphere* 73: 1373–1377.

42. Erdner, D., et al., **L.E. Brand** one of 15 coauthors. 2008. Centers for oceans and human health: A unified approach to the challenge of harmful algal blooms. *Env. Health* 7: S2.
43. Glibert, P.M., and **L.E. Brand**, one of 53 other co-authors. 2008. Ocean urea fertilization for carbon credits poses high ecological risks. *Mar. Poll. Bull.* 56: 1049–1056.
44. Olascoaga, M. J., F. J. Beron-Vera, **L. E. Brand**, and H. Koçak . 2008. Tracing the early development of harmful algal blooms on the West Florida Shelf with the aid of Lagrangian coherent structures, *J. Geophys. Res.*, 113, C12014, doi:10.1029/2007JC004533.
45. Scorzetti, G., **L.E. Brand**, G.L. Hitchcock, K.S. Rein, C. Sinigalliano , and J.W. Fell . 2009. Multiple simultaneous detection of Harmful Algal Blooms (HABs) through a high throughput bead array technology, with potential use in phytoplankton community analysis. *Harmful Algae* 8: 196–211.
46. Sinigalliano C.D., J. Winshell, M.A. Guerrero, G. Scorzetti, J.W. Fell, R.W. Eaton, **L. Brand**, and K.S. Rein. 2009. Viable cell sorting of dinoflagellates by multi-parametric flow cytometry. *Phycologia* 48: 249–257.
47. **Brand, L.E.** 2009. Human exposure to cyanobacteria and BMAA. *Amy. Lat. Scler.* 10: 85–95.
48. Bollmann, J., C. Klaas, and **L. Brand**. 2010. Morphological and physiological characteristics of *Gephyrocapsa oceanica* var. *typica* Kamptner 1943 in culture experiments: Evidence for genotypic variability. *Protist* 161: 78–90.
49. **Brand, L.E.**, J. Pablo, A. Compton, N. Hammerschlag, and D.C. Mash. 2010. Cyanobacterial blooms and the occurrence of the neurotoxin, beta-N-methylamino-L-alanine (BMAA), in South Florida aquatic food webs. *Harmful Algae* 9: 620–635.
50. Bienfang, P., S. V. DeFelice, E. A. Laws, **L. Brand**, R. R. Bidigare, S. Christensen, H. Trapido-Rosenthal, T. Hemscheidt, D. J. McGillicuddy, D. M. Anderson, L. C. Backer, H. Solo-Gabriele and A. B. Boehm. 2011. Prominent human health impacts from several marine microbes: History, ecology, and public health implications. *Int. J. Microbio.* Doi: 10.1155/2011/152815.
51. Avellaneda, P., J. Englehardt, J. Olascoaga, E. Babcock, **L. Brand**, D. Lirman, W. Rogge, H. Solo-Gabriele, and G. Tchobanoglous. 2011. Relative risk assessment of cruise ships biosolids disposal alternatives. *Mar. Poll. Bull.* 62: 2157–2169.
52. **Brand, L.E.** 2012. Toxic Harmful Algal Blooms: Natural and anthropogenic causes. Pp. 19–51, In: *New Trends in Marine and Freshwater Toxins: Food Safety Concerns*, Ed. by A.G. Cabado and J.M. Vieites, Nova Science Publishers, New York.
53. **Brand, L.E.**, L. Campbell, and E. Bresnan. 2012. *Karenia*: The biology and ecology of a toxic genus. *Harmful Algae* 14: 156–178.

54. **Brand, L.E. 2012.** Toxic Harmful Algal Blooms: Natural and anthropogenic causes. Pp. 19–52, In: *New Trends in Marine and Freshwater Toxins: Food Safety Concerns*, Ed. by A.G. Cabado and J.M. Vieites, Nova Science Publishers, New York.
55. **Brand, L.E.,** L. Campbell, and E. Bresnan. 2012. *Karenia: The biology and ecology of a toxic genus.* *Harmful Algae* 14: 156–178.
56. Maze, G., J.J. Olascoaga, and **L. Brand.** 2015. Historical analysis of environmental conditions during Florida Red Tide. *Harmful Algae* (in press).